


S A I B I

A series of high-grade tables that are elegant down to the smallest detail and offer superior comfort




WELLUP



PRODUCT
CERTIFIED FOR
LOW CHEMICAL
EMISSIONS:
UL.COM/GG
UL 2818

2015
GOOD DESIGN
AWARD



FEATURES



A design that resonates in the five senses and enriches the aesthetic imagination

The elegant form combines sharpness with gentleness. The dignified poise lends a cerebral air to the room. In its appearance, texture, and acoustics, Saibi is replete with artistic inspiration that enriches the aesthetic imagination.



True comfort that creates new value

The ultimate in functional beauty, Saibi sparks free, creative thinking and communication. The kinetics and acoustics have been designed for deep thought. Saibi delivers true comfort, allowing you to enter your natural state of flow, where you can unlock your aesthetic imagination to create new value.



Tabletops with the elegance of natural wood grain patterns

To further stimulate your aesthetic imagination, the tabletops feature natural wood textured materials.

VARIATIONS

Work tables



Standard layout

The long, unpartitioned table provides comfort and facilitates communication. The layout can accommodate increases or reductions in seating or the use of free addressing.




Concentration layout

The 120-degree 3-way configuration uses space efficiently, maximizing the space within reach of each user. The layout facilitates communication and focused work.



Personal layout

This layout uses a combination of private shelving to create private workspaces within an open environment.



Personal booth layout

This L-shaped standalone booth creates an environment for focused solo work. It has plenty of storage space for work involving an array of documentation.


Large conference table



For a comfortable and sophisticated communication space

This table showcases Saibi's painstaking attention to detail, from material and form to advanced functionality, acoustics, texture, usability, and the details hidden from view. Combining function with beauty, the table creates a comfortable and sophisticated communication space.

Executive furniture





Solo workstation with top-class materials and functionality

The ultimate workstation has been created, fulfilling all the requirements for a room that supports challenging yet rewarding managerial work: the compatibility of focus and communication, the management of a large volume of documents, and the maximum flexibility to accommodate individual work styles, all while adding functional beauty.

Work tables



COLOR & MATERIAL



Tabletop: PAW
Cable cover: Silver



Tabletop: MZ2
Cable cover: Silver



Tabletop: MZ5
Cable cover: Black



Tabletop: MZ8
Cable cover: Black



Tabletop: MG8
Cable cover: Black



Polished base


With a soft sheen and simple lines, the polished base creates a floating feeling like no other, lending an erudite air to the room.



Black base (premium black)

The glossy black base heightens the air of sophistication.

Tabletop



PAW
White


MZ2
Prime oak

MZ5
Prime
brown oak

MZ8
Prime
greige oak

MG8
Smoked
gray

Base



PM

BM
Premium
black

Storage unit



SAW
White

E6A
Black

Work tables

LINEUP

Double-sided workbench



DSX-WS1414 - PMMZ2 2
+
DSX-WE1414 - PMMZ2 2
+
DSX-WJ1414 - E6AMZ2 2

Standalone table



DSX-WD1414 - BMMZ8 2

Single-sided workbench



DSX-WS1407 - BMMG8 2
+
DSX-WE1407 - BMMG8 2
+
DSX-WJ1407 - E6AMG8 2

Standard table



DSX-WD1607 - PMMZ5 2

120-degree work bench

Start unit



DSX-ZS1212 - PMMZ2 2

End unit

DSX-ZE1212 - PMMZ2 2

Standalone unit



DSX-ZD1212 - PMMZ2 2

L-shaped table



DSX-LD1616 - BMMG8 2

120-degree boomerang table



DSX-DD1212 - BMMZ5 2

Side-return table



DSX-JR1612 - BMMZ8 2

Tables with storage unit

Table unit



DSX-AL1808 - PMMZ2 2

Storage unit
Open cabinet and 1-door slide-open cabinet



DSX-SH1808 - E6AMZ2 2

Storage unit
Open cabinet and lateral cabinet





DSX-SL1808 - E6AMZ2 2

Work tables


DIMENSIONS

Double-sided workbench

Workbench with cable cover




Comes with soft-close mechanism



• Arrows indicate wood grain direction.

Standalone table



Workbench with cable cover




• Arrows indicate wood grain direction.

Single-sided workbench

Workbench with cable cover



Comes with soft-close mechanism



• Arrows indicate wood grain direction.

Standard table


Workbench with cable cover



• Arrows indicate wood grain direction.


120-degree work bench

Start unit




• Arrows indicate wood grain direction.

End unit




• Arrows indicate wood grain direction.

Standalone unit



• Arrows indicate wood grain direction.


L-shaped table



• Arrows indicate wood grain direction.
Joints visible on tabletop.

DSX-LD1818-LD1616


120-degree boomerang table



• Arrows indicate wood grain direction.

DSX-DD1212

Side-return table



DSX-JL1612


• Arrows indicate wood grain direction.

DSX-JR1612

• Arrows indicate wood grain direction.

Tables with storage unit


Table unit



DSX-AL

DSX-AR

Storage unit



• Arrows indicate wood grain direction.

DESKTOP PANELS



Frameless panels

These frameless panels feature a slim design. Accessories are available exclusively for the panels. Panel thickness: 25 mm



Aluminum frame panels

These aluminum frame lends an air of sophistication. A wide range of accessories are available to boost layout versatility. Panel thickness: 34 mm



Panel



GCEH
Rock gray



GCEP
Cement gray



GCEJ
Snow gray



GCLM
Lawn green



GCT7
Navy



GCOP
Yellow
Beige



GCOY
Pale
terracotta

ACCESSORIES

For frameless panels



File sorter



Magnetic rail



Nameplate

For aluminum frame panel



File sorter



Hook



Nameplate



Magnetic board

For tables



Modesty panel



Steel modesty
panel




Central drawer



Desk mat



Monitor arm



Pair of hooks


For storage unit




Private shelving




Table extension,
side table for meetings



Hanger rail racks and hanger rails



2-door slide-
open cabinet



Vertical divider
for drawer

MATERIALS

Specifications for table units for workbenches, standalone table, standard table, and underside storage

Tabletop

Core: Powder-coated steel, honeycomb.
Surface: Melamine board, tabletop thickness 25mm.
Edge: Extruded ABS.

Beam

40 mm powder-coated square steel pipe.

Base

Polished base: Polished die-cast aluminum.
Coated base: Powder-coated die-cast aluminum, powder-coated steel.
Adjusters: Polypropylene.

Cable duct

Powder-coated steel.

Cable cover

Extruded anodized aluminum, ABS.

Specifications for 120-degree work bench, 120-degree boomerang table

Tabletop

Core: Particle board.
Surface: Melamine board, tabletop thickness 25mm.
Corner cover: Powder-coated steel.
Edge: Extruded ABS, extruded PVC.

Beam

40 mm powder-coated square steel pipe.

Base

Polished base: Polished die-cast aluminum.
Coated base: Powder-coated die-cast aluminum, powder-coated steel.
Adjusters: Polypropylene.

Cable duct

Powder-coated steel.

Cable cover

Extruded anodized aluminum, ABS.

- Comes with soft-close mechanism
- Floor level adjustment range: 20 mm
- In the product codes, PM means polished base while BM means coated base.
- For the workbench with power outlet, power cables and USBs are connected directly at the power outlet while LAN cables are reconnected at a wire-to-wire at the rear of the power outlet connector.

Specifications common to all underside storage

Tabletop

Core: Particle board.
Surface: Melamine board, tabletop thickness 25mm.
Edge: Extruded ABS, extruded PVC.

Body, door, end panel, shelving

Powder-coated steel.

Drawer

Extruded anodized aluminum.

- Floor level adjustment range: 15 mm

Specifications for L-shaped table

Tabletop

Core: Particle board.
Surface: Melamine board, tabletop thickness 25mm.
Corner cover: Powder-coated aluminum casting.
Edge: Extruded ABS, extruded PVC.

Beam

40 mm powder-coated square steel pipe.

Base

Polished base: Polished die-cast aluminum.
Coated base: Powder-coated die-cast aluminum, powder-coated steel.
Adjusters: Polypropylene.

Cable duct

Powder-coated steel.

Cable cover

Extruded anodized aluminum, ABS.

Specifications for side-return table, table extension

Tabletop

Core: Particle board.
Surface: Melamine board, tabletop thickness 25mm.
Edge: Extruded ABS, extruded PVC.

Beam

40 mm powder-coated square steel pipe.

Base

Polished base: Polished die-cast aluminum.
Coated base: Powder-coated die-cast aluminum, powder-coated steel.
Adjusters: Polypropylene.

Cable duct

Powder-coated steel.

Cable cover

Extruded anodized aluminum, ABS.

Caution: Dark-colored tabletops may show fingerprints and other smudges more noticeably depending on usage and lighting conditions.
Caution: Each tabletop has a random array of grains and knots, so when multiple tabletops are connected their patterns will not completely match.

| Large conference table



FEATURES




Large-capacity cable cover

The center of the table has a large-capacity cable cover for organizing cables. It can be opened from both sides allowing for easy retrieval. The design also allows easy maintenance.



Aluminum cable cover



Center leg

Tables with a width of 3200 or greater have a midpoint cable post that can store a large array of cables vertically.



Cable management with 4-star base

The round table has a cable post that houses the cables and brings them vertically from the floor to a point near to the center of the tabletop.

COLOR & MATERIAL

Tabletop^{*1}



Base^{*2}



*1. MTB is only available for tables with a 4-legged base.

*2. BM is only available for tables with a 4-legged base. P81 and E6A are only available for tables with a 4-star base.

| Large conference table

LINEUP

Rectangular table



DSX-K4812W - PMMZ8 2

4-legged round table



DSX-C1212M - BMMTB 2

4-star base round table



MT-X9H E6AMZ8 N

MT-X9W PMMG8 N3

DIMENSIONS

Rectangular table and 4-legged round table H720


W7200



W6400




W4800




4-star base round table H1000/H720




W3200




W2400



W1800



Ø1200



MATERIALS

Specifications typical for rectangular table and ø1200 round tables

Tabletop

Surface: Melamine board for white and woodgrain surface, electron beam-cured resin for matte black surface.
Edge: Extruded ABS, extruded PVC.
Core: Particle board, tabletop thickness 25 mm.
Beam: 40 mm powder-coated square steel pipe.

Base

Polished base: Polished die-cast aluminum.
Black gloss base: Powder-coated die-cast aluminum.
Adjusters: Polypropylene.

- Floor level adjustment range: 18 mm.

Rectangular table

Center leg (only for W7200, W6400, W4800, and W3200)

Powder-coated steel, ABS.

Adjustors (for Center leg)

Elastomer.

Cable cover

Extruded anodized aluminum, melamine board (only for woodgrain cable cover).

End cap

ABS.

Cable duct

Powder-coated steel.

- Comes with soft-close mechanism.

- Internal dimensions of cable port: W845xD120 mm.

ø900 round table

Tabletop

Surface: Melamine board.
Edge: Extruded ABS, extruded PVC.
Core: Particle board, tabletop thickness 25 mm.

Base

Leg: ø50.8 mm powder-coated steel pipe.
Leg base: Polished die-cast aluminum.
Adjusters: Nylon.
Cable cap: ABS.

- Floor level adjustment range: 10 mm.

Caution: Dark-colored tabletops may show fingerprints and other smudges more noticeably depending on usage and lighting conditions.

Caution: Each tabletop has a random array of grains and knots, so when multiple tabletops are connected their patterns will not completely match.




COLOR & MATERIAL

Tabletop




Base



Panel



Frame for storage unit and upper units



LINEUP

Main unit



DSX-MLK-BME6AMZ22

Rounded corner unit with open bottom and lateral cabinet



DSX-MLH-BME6AMZ22

Rounded corner unit with 1-door slide-open cabinet



DSX-MLF-BME6AMZ22

Rounded corner unit with extra legroom



DSX-MQK-BME6AMZ2

Rectangular corner unit with open bottom and lateral cabinet



DSX-MQH-BME6AMZ2

Rectangular corner unit with 1-door slide-open cabinet



DSX-MQP-BME6AMZ2

Rectangular corner unit with panel base and lateral cabinet

Upper unit



DSX-UMK18-GAMZ2EP1

Open shelving



DSX-UHS18-GAMZ2EP1


Swing door cabinet



DSX-UHM18-GAMZ2EP1


Slide-open wall cabinet

Additional storage unit



DSX-MSL59-GAMZ2

Additional storage unit
Lateral cabinet



DSX-MSK59-GAMZ2

Additional storage unit
Open storage space

Manager's table



DSX-MG2008-BMMTB2

Storage



SC-XSU59SE6AN

Topside swing door cabinet



SC-XSD59SE6AN+
SCT-W9SMZ2N

Underside swing door cabinet



SC-XH518SE6A+
SCT-W18SMZ2N

Underside sliding door cabinet



SC-XL3A59SE6AN+
SCT-W9SMZ2N

Underside lateral cabinet




SC-XRR85DE6ANN

Underside wardrobe

ACCESSORIES

Main unit



Modesty panel

Metal connectors for panel base

End-unit cover for panel base


End-unit cover for underside storage

Manager's table




Central drawer

For tables




Desk mat


Storage




Storage panels and shelving



Vertical divider for drawer






2-door slide-open cabinet






Hanger rail racks and hanger rails

DIMENSIONS



Main unit




Upper unit



Additional storage unit



Manager's table



MATERIALS

Specifications typical for main units

Tabletop

Surface: Melamine board.
Edge: Extruded ABS, extruded PVC.
Core: Particle board, tabletop thickness 25 mm.

Beam

powder-coated square steel pipe.

Base

Polished base: Polished die-cast aluminum.
Coated base: Powder-coated die-cast aluminum, powder-coated steel.

Panel base

Powder-coated steel.

Midpoint post

Powder-coated steel.

Underside storage

Body: Powder-coated steel. Drawers: Extruded anodized aluminum.

Panel base

Powder-coated steel.

- Floor level adjustment range: 15 mm.
- Comes with soft-close mechanism.

Specifications typical for upper units

Frame

Powder-coated steel.

Shelving

Surface: Melamine board.
Edge: ABS.
Core: Particle board, shelf thickness 25 mm.

Panel

Surface: Fabric
Core: Steel

Upper side storage

Body: Powder-coated steel.
Drawers: Extruded aluminum

● Comes with soft-close mechanism.
● The swing doors can be opened up to 105 degrees.

Specifications typical for an additional storage unit

- Choose either SAW or E6A to match the color of the main unit's storage.
- No more than one additional unit can be added to each main unit.
- Choose an additional unit to complement the upper unit.
- Comes with soft-close mechanism.
- No extension units can be added to the rounded corner unit with extra legroom.
- If you are using a standalone upper unit (without using a main unit), you can add up to three underside additional units (be sure to connect the additional units using the metal connectors that come with the upper unit).

Specifications typical for manager's table

Tabletop

Surface: Melamine board.
Edge: Extruded ABS, extruded PVC.
Core: Particle board, tabletop thickness 25 mm.

Beam

40 mm powder-coated square steel pipe.

Modesty panel

Surface: Melamine board.
Edge: Extruded ABS.
Core: Particle board, panel thickness 17 mm.

Base

Polished base: Polished die-cast aluminum.
Coated base: Powder-coated die-cast aluminum, powder-coated steel.

Metal connectors

Powder-coated steel.

- Floor level adjustment range: 15 mm.

Specifications common to storage

- Comes with soft-close mechanism.
- The cabinet has a cylinder lock.
- If you only use underside storage, please equip the optional tabletop (swing door cabinet, lateral cabinet, sliding door cabinet).
- If you use a swing door or lateral cabinet as a standalone cabinet, please use the floor-mounted metal connectors.
- Adjusters' floor level adjustment range: 15 mm.

Caution: Dark-colored tabletops may show fingerprints and other smudges more noticeably depending on usage and lighting conditions.